SAFETY DATA SHEETS

According to the UN GHS revision 10

Version: 1.1 Creation Date: July 15, 2024 Revision Date: January 28, 2025

SEC	FION 1: Identification		
1.1	GHS Product identifier		
	Product name	1-Chlorobutane	
1.2	Other means of identification		
	Product number Other names	109-69-3 Butane, 1-chloro-; 1-chloroethane; Sure Shot	
1.3 Recommended use of the chemical and restrictions on use		nical and restrictions on use	
	Identified uses Uses advised against	For laboratory and Industrial use only. no data available	
1.4	Supplier's details		
	Company Address Telephone	Zhongshan Greenrock Technology Co., Ltd. Jinsan Avenue, Sanjiao Town, Zhongshan City, Guangdong Province, China +86-2087066781	
1.5	Emergency phone number		
	Emergency phone number Service hours	+86-2087066781 'Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).	
SEC	FION 2: Hazard identification	a	
2.1	Classification of the substance or mixture Flammable liquids, Category 2		

2.2 GHS label elements, including precautionary statements

J

Pictogram(s)

	<u>()</u>
Signal word	Danger
Hazard statement(s)	H225 Highly flammable liquid and vapour
Precautionary statement(s)	
Prevention	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P233 Keep container tightly closed.
	P240 Ground and bond container and receiving equipment.
	P241 Use explosion-proof [electrical/ventilating/lighting/] equipment.
	P242 Use non-sparking tools.
	P243 Take action to prevent static discharges.
	P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
Response	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower].
	P370+P378 In case of fire: Use to extinguish.
Storage	P403+P235 Store in a well-ventilated place. Keep cool.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
1-Chlorobutane	1-chlorobutane	109-69-3	203-696-6	pprox 99%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

Mildly irritating to the skin and eyes, liquid may cause rash due to removal of skin oils. Ingestion or skin absorbtion may cause intestinal upset, cramping, and central nervous system depression. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

no data available

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

To fight fire: Foam, carbon dioxide, dry chemical.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: May produce phosgene gas in fire (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use powder, foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer. Do NOT let this chemical enter the environment.

6.2 Environmental precautions

Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer. Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use sparkproof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. Closed system, ventilation, explosion-proof electrical equipment and lighting. Prevent build-up of electrostatic charges (e.g., by grounding). Do NOT use compressed air for filling, discharging, or handling. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from incompatible materials. See Chemical Dangers. Well closed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

MAK: 12 mg/m3, 3 ppm; peak limitation category: II(2)

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles or eye protection in combination with breathing protection.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid.
Colour	Colourless.
Odour	Unpleasant
Melting point/freezing point	-123.1 °C. Atm. press.:Ca. 1 atm. Remarks:Pressure: assumed.
Boiling point or initial boiling point and	78.8 °C. Atm. press.:1 atm.
boiling range	
Flammability	Highly flammable. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion	LOWER FLAMMABLE LIMIT 1.8 % BY VOLUME; UPPER FLAMMABLE LIMIT 10.1 %
limit/flammability limit	BY VOLUME
Flash point	-12 °C. Atm. press.:Ca. 1 atm.
Auto-ignition temperature	245 °C. Atm. press.:Ca. 1 atm.
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	POISE = 0.004 . Temperature: 20° C.
Solubility	Insoluble in water
Partition coefficient n-octanol/water	$\log Pow = 2.66$. Temperature:20 °C.
Vapour pressure	120.6 hPa. Temperature:20 °C.
Density and/or relative density	0.88. Temperature:20 °C.
Relative vapour density	3.2 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on heating and on burning. This produces toxic and corrosive fumes including hydrogen chloride and phosgene. Reacts slowly with water. This produces hydrochloric acid. Reacts violently with oxidants and powdered metals. This generates fire and explosion hazard. Attacks aluminium and many plastics.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

FLAMMABLE, DANGEROUS FIRE RISK. The vapour is heavier than air and may travel along the ground; distant ignition possible. As a result of flow, agitation, etc., electrostatic charges can be generated. BUTYL CHLORIDE is incompatible with oxidizing agents and strong bases. Reacts with aluminum powder, magnesium, liquid oxygen, potassium and sodium (NTP, 1992). Emits phosgene gas when heated to decomposition. May be sensitive to heat.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 rat 2 200 mg/kg bw. Inhalation: LC50 rat (male/female) > 7.74 mg/L air.
- Dermal: LD50 rabbit (male) > 17600 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

CLASSIFICATION: D; not classifiable as to human carcinogenicity. BASIS FOR CLASSIFICATION: Based on no human carcinogenicity data and inadequate animal data. HUMAN CARCINOGENICITY DATA: None. ANIMAL CARCINOGENICITY DATA: Inadequate.

Reproductive toxicity

no data available

STOT-single exposure

The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the nervous system.

STOT-repeated exposure

no data available

Aspiration hazard

A harmful contamination of the air can be reached very quickly on evaporation of this substance at 20°C, especially on spraying.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 Danio rerio (previous name: Brachydanio rerio) 71.4 mg/L 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 Daphnia magna 452 mg/L 48 h.
- Toxicity to algae: EC50 Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) > 450 mg/L 72 h. Toxicity to microorganisms: EC50 - activated sludge of a predominantly domestic sewage -> 1 000 mg/L - 3 h. Remarks: Respiration
- rate.

12.2 Persistence and degradability

Microbial enzymes and pure cultures have been reported that are capable of degrading n-butyl chloride under aerobic conditions(2). Limited data from screening studies suggest that n-butyl chloride biodegrades slowly under aerobic conditions. When incubated with activated sludges from 3 municipal treatment plants, 2.6% of the n-butyl chloride (500 mg/l) was oxidized after 24 hr(1). At the concentration used, n-butyl chloride was toxic to 1 of the 3 sludges(1). Another screening test using sewage seed and much lower concentrations of n-butyl chloride (1 ppm) resulted in 10% of the theoretical BOD being consumed in 1.4 days(3).

12.3 **Bioaccumulative potential**

Using the log octanol/water partition coefficient for n-butyl chloride, 2.64(1), one estimates a BCF of 60 using a recommended regression equation(2,SRC). Therefore, n-butyl chloride will not bioconcentrate in fish and aquatic organisms(2)

12.4 Mobility in soil

Using the water solubility for n-butyl chloride, 1100 mg/l(1), the Koc can be estimated to be 93 and 102 using two recommended regression equations(2,SRC). These estimates indicate that n-butyl chloride will have high mobility in soil(3).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN1127 (For reference only, please IMDG: UN1127 (For reference only, please IATA: UN1127 (For reference only, please check.) check.) check.)

14.2 UN Proper Shipping Name

ADR/RID: CHLOROBUTANES (For IMDG: CHLOROBUTANES (For reference IATA: CHLOROBUTANES (For reference reference only, please check.) only, please check.) only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.) IMDG: 3 (For reference only, please check.) IATA: 3 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.) IMDG: II (For reference only, please check.) IATA: II (For reference only, please check.)

14.5 Environmental hazards

	ADR/RID: No	IMDG: No	IATA: No
14.6	Special precautions for user		
	no data available		
14.7	7 Transport in bulk according to IMO instruments		
	no data available		

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question 15.1

Chemical name	Common names and synonyms	CAS number	EC number
1-chlorobutane	1-chlorobutane	109-69-3	203-696-6
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date	July 15, 2024
Revision Date	January 28, 2025

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

• IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

- HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm ٠
- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp ٠
- •
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

Any questions regarding this SDS, Please send your inquiry to export@greenrockchem.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.